

Amendment to the Claims

This listing will replace all prior versions, and listings, of the claims in the application:

Listing of Claims:

Claim 1 (original): A metal- or resin-integrated gasket, which comprises a cured product layer of a composition comprising (A) an acrylic polymer having at least one alkenyl group capable of undergoing hydrosilylation reaction, (B) a hydrosilyl group-containing compound and (C) a hydrosilylation catalyst as essential components, and a metal plate or resin plate, the cured product layer being provided on at least one surface of the metal plate or the resin plate.

Claim 2 (original): A metal- or resin-integrated gasket according to claim 1, wherein the component (A) of the composition is a liquid acrylic polymer having a number average molecular weight M_n of 500 or more and a molecular weight distribution (M_w/M_n) of 1.8 or less.

Claim 3 (original): A metal- or resin-integrated gasket according to claim 1, wherein the cured product layer has a film thickness of 1-500 μm .

Claim 4 (original): A metal- or resin-integrated gasket according to claim 1, wherein the cured

product layer has a surface hardness (Duro hardness A) of 45 or less. ~~not more than 45.~~

Claim 5 (original): A metal- or resin-integrated gasket according to claim 1, wherein the composition is directly applied to an adhesive-coated metal plate or resin plate and cured.

Claim 6 (currently amended): A metal- or resin-integrated gasket according to claim 1, ~~2, 3 or 4~~
~~for use as a gasket for~~ which comprises at least one of an automobile engine cylinder head
gasket, heads, an engine oil pan gasket and pans, or an engine intake-exhaust manifold gasket.
~~manifolds.~~

Claim 7 (currently amended): A metal- or resin-integrated gasket according to claim 1, ~~2, 3 or 4~~,
wherein the cured product is provided on a ~~the~~ resin plate that has a softening point of 100°C or
more.

Claim 8 (new): A metal- or resin-integrated gasket according to claim 2, which comprises at
least one of an automobile engine cylinder head gasket, an engine oil pan gasket and an engine
intake-exhaust manifold gasket.

Claim 9 (new): A metal- or resin-integrated gasket according to claim 3, which comprises at
least one of an automobile engine cylinder head gasket, an engine oil pan gasket and an engine
intake-exhaust manifold gasket.

Claim 10 (new): A metal- or resin-integrated gasket according to claim 4, which comprises at least one of an automobile engine cylinder head gasket, an engine oil pan gasket and an engine intake-exhaust manifold gasket.

Claim 11 (new): A metal- or resin-integrated gasket according to claim 2, wherein the cured product is provided on a resin plate that has a softening point of 100°C or more.

Claim 12 (new): A metal- or resin-integrated gasket according to claim 3, wherein the cured product is provided on a resin plate that has a softening point of 100°C or more.

Claim 13 (new): A metal- or resin-integrated gasket according to claim 4, wherein the cured product is provided on a resin plate that has a softening point of 100°C or more.